

DOOR COLLECTION CATALOGUE

 **CORINTHIAN
DOORS**
A JELD-WEN Company



CONTENTS

ENTRANCE DOORS 5

Elements	6
Blonde Oak	8
Infinity	10
Classic	11
Solidcarve	11
Madison	13
Slimlite	14
Urban	15
Seaboard	15
Lumina White Oak	17
Sunburst	17
Infusion Metal & Blade	18
Interblind	19
Backdoor	19
Flush Panel Doors	19
BAL 29 Doors	20
BAL 40 Doors	20

WIDE STYLE DOORS 22

INTERIOR DOORS 33

Moda Barn	34
Moda White Oak	36
Moda Primed	42
Deco	49
Madison	50
Balmoral	51
Impressions	52
Motive	53
Flush Panel Doors	53

GLAZING OPTIONS 55

DOOR CARE & MAINTENANCE 58



Elements
ELEMWS A2



ENTRANCE DOORS

THE ELEMENTS

Introducing Elements, our collection of architectural entrance doors crafted to add a touch of elegance to any façade. Each design is made from sustainable timber with a versatile oak veneer that can be stained in a diverse spectrum of colours.

Door size*: 2340/2040 x 920/820 x 40mm.
 *Special sizes available.

HERRINGBONE DOOR



**ELEM A5
HERRINGBONE
AMERICAN WHITE OAK**

Note: American White Oak is a natural product, as such the colour, grain, texture and characteristics such as knots and gum veins can vary. Whilst every attempt is made to ensure veneers match, any variations in colour, grain, texture and characteristics such as knots and gum veins will not be considered a defect.

PLANKED DOORS



**ELEM A1
VERTICAL ASYMMETRICAL
AMERICAN WHITE OAK**



**ELEM A2
VERTICAL SYMMETRICAL
AMERICAN WHITE OAK**



**ELEM A3
HORIZONTAL ASYMMETRICAL
AMERICAN WHITE OAK**



**ELEM A4
HORIZONTAL SYMMETRICAL
AMERICAN WHITE OAK**

PAD HANDLES

Complete the look with a selection of luxurious oversized timber pad handles.

Handle size: 200 x 200mm or 300 x 300mm.
 Configurations: Back to back or single.



**PAD HANDLE
ROUND
AMERICAN WHITE OAK**



**ELEM H1B
ROUND 300MM**



**ELEM H2B
ROUND 200MM**



**PAD HANDLE
SQUARE
AMERICAN WHITE OAK**



**ELEM H3B
SQUARE 300MM**



**ELEM H4B
SQUARE 200MM**



**PAD HANDLE
D-FORM
AMERICAN WHITE OAK**



**ELEM H5B
D-FORM 300MM**



**ELEM H6B
D-FORM 200MM**

BLONDE OAK

The pure versatility and simple elegance of each Blonde Oak entrance door makes them perfect for creating a clean, contemporary feel for your home.

Crafted from sustainable solid timber with an American White Oak veneer, the Blonde Oak Collection opens up a world of design possibilities. Offering ten sleek entrance door designs, Blonde Oak is sure to add value, appeal and intrigue to any home's façade.

Door sizes*: 2340/2040 x 920/820 x 40mm.

Door sizes (AWO 21 & AWO 40 only)!: 2340/2040 x 920/820/770/720/620 x 40mm.

Sidelight sizes: 2340/2040 x 400 x 40mm.

Available in BAL 12.5 construction.

*Availability of size range varies by design, construction type & state. Special sizes are available.



**AWO 2
AMERICAN WHITE OAK**



**AWO 26
AMERICAN WHITE OAK**



**AWO 21
AMERICAN WHITE OAK**



**AWO 40
AMERICAN WHITE OAK**



**AWO 5
AMERICAN WHITE OAK**



**AWO 56
AMERICAN WHITE OAK**



**AWO 526
AMERICAN WHITE OAK**



**AWO 5VG
AMERICAN WHITE OAK**



**AWO 7
AMERICAN WHITE OAK**



**AWO 7G
AMERICAN WHITE OAK**



**AW0SL 21
AMERICAN WHITE OAK**

INFINITY

Constructed from select hardwoods to suit Australia's heat and humidity, the Infinity range is highly durable. The Infinity's stile and rail design, rich timber grain and solid panels make it as beautiful as it is practical.

Door sizes*: 2040 x 820 x 40mm.

Door sizes (INF 21 & INF 40 only)!: 2040 x 820/770/720/620 x 40mm.

Sidelight size!: 2040 x 400 x 40mm.

Available in BAL 12.5 construction.

*Availability of size range varies by design, construction type & state. Special sizes are available.



INF 5VG
MERBAU



INF 8G
MERBAU

INF 11G
MERBAU



INF 4G
MERBAU

INF 6G
MERBAU

INFSL 6G
MERBAU



INF 4
MERBAU

INF 14G
MERBAU

INF 40
MERBAU

INFSL 40
MERBAU

INF 21
MERBAU

INFSL 21
MERBAU

CLASSIC

Providing an authentic period style for your home's entrance, the Classic range features deep carvings with traditional mouldings. To add further character, these elegant doors can be paired with a range of glazing options.

Door size!: 2040 x 820 x 40mm.

Sidelight size!: 2040 x 400 x 40mm.

Available in BAL 12.5 construction.

!Special sizes are available.



PCL 4G



PCSL 4G



PCL 4



PCL 2



PCL 1AG



PCLSL 1AG

SOLIDCARVE

Solidcarve doors carry deep carved patterns on both sides and also feature square corner routing. These design elements combine to create eye-catching designs that range from contemporary to a hint of traditional.

Door size!: 2040 x 820 x 40mm.

Sidelight size!: 2040 x 400 x 40mm.

Available in BAL 12.5 construction.

!Special sizes are available.



PSC 1



PSC 4



PSC 4G



PSCSL 4G

MADISON

Thanks to its wide choice of glass options, the Madison range provides unmatched versatility in complementing your home. Solid construction also provides thermal efficiency and noise reduction.

Door size*: 2040 x 820 x 40mm.
 Sidelight size*: 2040 x 400 x 40mm.
 Available in BAL 12.5 construction.
 *Special sizes are available.



PMAD 46



PMAD 101



PMADSL 101



PMAD 04



PMAD 111



PMADSL 111



PMAD 106



PMAD 104



PMADSL 104



Madison PMAD 104

SLIMLITE

With sleek, modern geometry, Slimlite doors are the perfect choice for contemporary homes. An impressive range of glass choices allow light to warm your entry, while still maintaining privacy.

Door size[†]: 2040 x 820 x 40mm.
Available in BAL 12.5 construction.
[†]Special sizes are available.



PSLM 202



PSLM 204



PSLM 208



PSLM 201

URBAN

Featuring carved patterns both sides of the door, the Urban range will complement conservative modern or traditional architecture. Square corner routing adds to their clean and uncluttered appearance.

Door size[†]: 2040 x 820 x 40mm.
Available in BAL 12.5 construction.
[†]Special sizes are available.



PURB 104



PURB 1



PURB 2



PURB 101



PURB 04



PURB 4

SEABOARD

Provide a welcoming entrance to your home with the warm, rustic charm of the Seaboard range. Constructed from natural Western Red Cedar, each door will display its own unique colour and texture.

Door size[†]: 2040 x 820 x 40mm.
[†]Special sizes are available.



SEAV
WESTERN RED CEDAR



SEAH
WESTERN RED CEDAR

LUMINA WHITE OAK

With inserts that appear to float in mid-air, these stunning doors allow abundant light to enter through. Constructed from solid timber and featuring an American White Oak veneer, the effect is striking and contemporary. Choose from clear or translucent glass.

Door size*: 2040 x 820 x 40mm.
Available in BAL 12.5 construction.
*Special sizes are available.



ALUM 1
AMERICAN WHITE OAK



ALUM 5
AMERICAN WHITE OAK



SUN GL
MERBAU



SUN GR
MERBAU

SUNBURST

A beautiful combination of rich Merbau and glass, the Sunburst range makes a profound statement with its eye-catching patterns. Take it a step further and magnify your home's curb appeal with a double door set.

Door size*: 2040 x 820 x 40mm.
Available in BAL 12.5 construction.
*Special sizes are available.



SUN AL
MERBAU



SUN AR
MERBAU



Lumina White Oak ALUM 1

INFUSION METAL & BLADE

Also available as pivot doors, the Infusion range features decorative metal inlays, providing sophisticated style. For finishes, you have a range of veneers to choose from including Victorian Ash and Jarrah.

Door size*: 2040 x 820 x 40mm.
*Special sizes are available.



FUSMB 101
BLACKWOOD



FUSMA 101
VICTORIAN ASH



FUSMJ 101
JARRAH



FUSMW 101
WALNUT



FUSMC 101
WESTERN RED CEDAR



FUSMM 101
MYRTLE

INTERBLIND

Control the light, look and privacy of your rooms with these stylish micro venetian blinds. They're encased between two sheets of safety glass, removing the need for cleaning or additional maintenance.

Door size: 2040 x 820 x 40mm.



IBP 1



IBP 2

BACKDOOR

Suitable for both contemporary and traditional homes, There are two designs available: Flush door with half light in Honeycomb and solid construction, and routed door with half light in solid construction only.

Door sizes¹: 2040 x 820 x 40mm.

Door sizes (No.7 only)¹:
2040 x 820/770/720 x 35/40mm.

Available in BAL 12.5 construction.

¹Availability of size range varies by design, construction type & state. Special sizes are available.



NO.7



NO.7A



PMAD 7 BAL 12.5

FLUSH PANEL DOORS

Suitable for both contemporary and traditional homes, flush panel doors come pre-primed, ready for painting or as timber doors ready for staining.

Door sizes¹: 2040/2340 x 1020/920/870/820/770/
720/620/520 x 35/40mm.

Available in BAL 12.5 construction.

¹Availability of size range varies by design, construction type & state. Special sizes are available.



EXP, PAINT PLY



VEX



BLADA3
VICTORIAN ASH



BLADA4
VICTORIAN ASH



BLADJ3
JARRAH



BLADJ4
JARRAH



BLADW3
WESTERN RED CEDAR



BLADW4
WESTERN RED CEDAR

BAL 29 DOORS



Corinthian offers the largest range of doors to meet the regulatory requirements of building in a number of designated bushfire zones, including BAL 12.5, BAL 29 and BAL 40. Across our range of BAL 29 doors, you can choose from primed designs or a range of veneers featuring decorative metal inlays.

Door size*: 2340/2040 x 820 x 40mm.
Sidelight size*: 2040 x 400 x 40mm.

*Availability of size range varies by design, construction type & state. Special sizes are available.



PRU 03 PRU 04 PRU 101 PRUSL 101



PRU 104 PRUSL 104 PRU 106 PRU 7 PRU 21 EXP BAL 29



FUSMA 101 BAL 29 FUSMB 101 BAL 29 FUSMM 101 BAL 29 FUSMJ 101 BAL 29 FUSMW 101 BAL 29 FUSMC 101 BAL 29

BAL 40 DOORS



Our BAL 40 range of doors meets the regulatory requirements of building in a BAL 40: Very High bushfire zone. You can choose from primed or veneer finished routed doors and sidelites, with or without glazed openings.

Door size*: 2040 x 820 x 42mm.
Sidelight size*: 2040 x 400 x 42mm.

*Special sizes are available.



PBUSHG 101 PBUSHSL 101 PBUSHG 104 PBUSHGSL 104



PBUSHG 506 PBUSHG 513 PBUSHG 514 PBUSH PBUSH 1 PBUSH 2



PBUSH 4 PBUSH 04 PBUSH 9 PBUSH 44 PBUSH 101 PBUSH 104



WIDE STYLE DOORS

THE ELEMENTS

Introducing Elements, our collection of architectural entrance doors crafted to add a touch of elegance to any façade. Each design is made from sustainable timber with a versatile oak veneer that can be stained in a diverse spectrum of colours.

Door standard size¹: 2340/2040 x 1200/1020 x 40mm.
¹Special sizes available.

HERRINGBONE DOOR



**ELEMWS A5
HERRINGBONE
AMERICAN WHITE OAK**

Note: American White Oak is a natural product, as such the colour, grain, texture and characteristics such as knots and gum veins can vary. Whilst every attempt is made to ensure veneers match, any variations in colour, grain, texture and characteristics such as knots and gum veins will not be considered a defect.

PLANKED DOORS



**ELEMWS A1
VERTICAL ASYMMETRICAL
AMERICAN WHITE OAK**



**ELEMWS A2
VERTICAL SYMMETRICAL
AMERICAN WHITE OAK**



**ELEMWS A3
HORIZONTAL ASYMMETRICAL
AMERICAN WHITE OAK**



**ELEMWS A4
HORIZONTAL SYMMETRICAL
AMERICAN WHITE OAK**

PAD HANDLES

Complete the look with a selection of luxurious oversized timber pad handles.

Handle size: 200 x 200mm or 300 x 300mm.
 Configurations: Back to back or single.



**PAD HANDLE
ROUND
AMERICAN WHITE OAK**



**ELEM H1B
ROUND 300MM**



**ELEM H2B
ROUND 200MM**



**PAD HANDLE
SQUARE
AMERICAN WHITE OAK**



**ELEM H3B
SQUARE 300MM**



**ELEM H4B
SQUARE 200MM**



**PAD HANDLE
D-FORM
AMERICAN WHITE OAK**



**ELEM H5B
D-FORM 300MM**



**ELEM H6B
D-FORM 200MM**

WIDE STYLE DOORS

If you're looking for a statement piece for your home, wide style doors are sure to impress. These doors embody Corinthian's commitment to craftsmanship and are available in a wide range of natural timbers, or primed designs you can paint to reflect your individual style. A range of complementary frames and systems are available to suit, including pivot and hinged options.

Door size¹: 2340/2040 x 1200/1020 x 40mm.

¹Availability of size range varies by design, construction type & state. Special sizes are available.



AWOWS 5G
AMERICAN WHITE OAK



AWOWS 5VG
AMERICAN WHITE OAK



Blonde Oak AWOWS 5VG



AWOWS 19H
AMERICAN WHITE OAK



AWOWS 21
AMERICAN WHITE OAK

WIDE STYLE DOORS



FUSMA PV 101
VICTORIAN ASH



FUSMM PV 101
MYRTLE



FUSMB PV 101
BLACKWOOD




FUSMJ PV 101
JARRAH




FUSMW PV 101
WALNUT




FUSMC PV 101
WESTERN RED CEDAR



BLADW PV 3
WESTERN RED CEDAR



BLADW PV 4
WESTERN RED CEDAR



BLADA PV 3
VICTORIAN ASH




PMAD PV 101



PMAD PV 104




PSLM PV 202



PSLM PV 208



FLUSH PV




DECO PV 25




DECO PV 35




DECO PV 45



BLADA PV 4
VICTORIAN ASH



BLADJ PV 3
JARRAH



BLADJ PV 4
JARRAH



DECO PV 15



INFWS 5VG
MERBAU



INFWS 5G
MERBAU



SUNWS 6L
MERBAU

*Doors pictured as viewed from exterior.



SUNWS 6R
MERBAU



INFWS 6G
MERBAU



INFWS 8G
MERBAU



INFWS 11G
MERBAU



ALUMWS 1
AMERICAN WHITE OAK



ALUMWS 3
AMERICAN WHITE OAK



ALUMWS 5
AMERICAN WHITE OAK



Moda PM02

INTERIOR DOORS

MODA BARN

Across any architectural style, The Moda Barn Door Collection offers a range of popular designs that add eye-catching character to any home. And they're equally versatile in their application, being the ideal transition piece between rooms. A modern space saver, they can provide openness and fluidity or division and intimacy. Compatible barn door track and hardware kit also available (sold separately).

Door sizes*: 2450/2150x 1000 x 35mm
 *Availability of size range varies by design, construction & state.



AWOBD4
AMERICAN WHITE OAK



AWOBD1
AMERICAN WHITE OAK



AWOBD2
AMERICAN WHITE OAK



AWOBD3
AMERICAN WHITE OAK



PBD1




PBD2



PBD3



PBD4



BARN DOOR TRACK & HARDWARE KIT



FLOOR MOUNTED DOOR GUIDE
(Included in Track & Hardware Kit)



WALL MOUNTED DOOR GUIDE

MODA WHITE OAK SOLID INFILL

The natural grain of timber is like a unique fingerprint, making each Moda White Oak interior door a one-off design. And with a light and versatile American White Oak veneer, these doors can be stained and painted to express your interior vision with clarity and style. As a perfect complement to our Blonde Oak entrance door collection, this range will lend a strong sense of cohesion to your home. Available as a solid, glazed or mirror door.

Door sizes¹: 2340/2040 x 920/870/820/770/720/620/520 x 35mm
¹Availability of size range varies by design, construction & state.



AMOD13
AMERICAN WHITE OAK



AMOD14
AMERICAN WHITE OAK



AMOD15
AMERICAN WHITE OAK



AMOD16
AMERICAN WHITE OAK



AMOD1
AMERICAN WHITE OAK



AMOD2
AMERICAN WHITE OAK



AMOD3
AMERICAN WHITE OAK



AMOD5
AMERICAN WHITE OAK

AMOD4
AMERICAN WHITE OAK



AMOD17
AMERICAN WHITE OAK



AMOD18
AMERICAN WHITE OAK



AMOD19
AMERICAN WHITE OAK



AMOD20
AMERICAN WHITE OAK



AMOD25 (MIRROR)
AMERICAN WHITE OAK



AMOD6
AMERICAN WHITE OAK



AMOD8
AMERICAN WHITE OAK



AMOD9
AMERICAN WHITE OAK



AMOD10
AMERICAN WHITE OAK



AMOD11
AMERICAN WHITE OAK



AMOD12
AMERICAN WHITE OAK



AMOD21
AMERICAN WHITE OAK



AMOD22
AMERICAN WHITE OAK



AMOD23
AMERICAN WHITE OAK



AMOD24
AMERICAN WHITE OAK

MODA WHITE OAK GLAZED CLEAR



AMOD26C
AMERICAN WHITE OAK

AMOD36C
AMERICAN WHITE OAK

AMOD16C
AMERICAN WHITE OAK

AMOD4GC
AMERICAN WHITE OAK



AMOD12GC
AMERICAN WHITE OAK

AMOD13GC
AMERICAN WHITE OAK

AMOD14GC
AMERICAN WHITE OAK

AMOD15GC
AMERICAN WHITE OAK



AMOD16GC
AMERICAN WHITE OAK

AMOD18GC
AMERICAN WHITE OAK

AMOD19GC
AMERICAN WHITE OAK

AMOD20GC
AMERICAN WHITE OAK



AMOD17GC
AMERICAN WHITE OAK



AMOD56C
AMERICAN WHITE OAK

AMOD66C
AMERICAN WHITE OAK

AMOD86C
AMERICAN WHITE OAK

AMOD96C
AMERICAN WHITE OAK

AMOD106C
AMERICAN WHITE OAK

AMOD116C
AMERICAN WHITE OAK



AMOD21GC
AMERICAN WHITE OAK

AMOD22GC
AMERICAN WHITE OAK

AMOD23GC
AMERICAN WHITE OAK

AMOD24GC
AMERICAN WHITE OAK

MODA WHITE OAK GLAZED TRANSLUCENT



AMOD2GT
AMERICAN WHITE OAK

AMOD3GT
AMERICAN WHITE OAK

AMOD1GT
AMERICAN WHITE OAK

AMOD4GT
AMERICAN WHITE OAK



AMOD12GT
AMERICAN WHITE OAK

AMOD13GT
AMERICAN WHITE OAK

AMOD14GT
AMERICAN WHITE OAK

AMOD15GT
AMERICAN WHITE OAK



AMOD16GT
AMERICAN WHITE OAK

AMOD18GT
AMERICAN WHITE OAK

AMOD19GT
AMERICAN WHITE OAK

AMOD20GT
AMERICAN WHITE OAK



AMOD5GT
AMERICAN WHITE OAK

AMOD6GT
AMERICAN WHITE OAK

AMOD8GT
AMERICAN WHITE OAK

AMOD9GT
AMERICAN WHITE OAK

AMOD10GT
AMERICAN WHITE OAK

AMOD11GT
AMERICAN WHITE OAK



AMOD21GT
AMERICAN WHITE OAK

AMOD22GT
AMERICAN WHITE OAK

AMOD23GT
AMERICAN WHITE OAK

AMOD24GT
AMERICAN WHITE OAK

AMOD17GT
AMERICAN WHITE OAK

MODA PRIMED SOLID INFILL

Constructed with quality stile and rail joinery techniques, the Moda Primed range features classic designs and proportions, perfect for an array of architectural designs. Available as a solid, glazed or mirror door, this range comes pre-primed and ready to paint.

Door sizes[†]:
2340/2040 x 920/870/820/770/720/620/520 x 35mm.

[†] Availability of size range varies by design, construction type & state.



PMOD1



PMOD2



PMOD3



PMOD5



PMOD4



PMOD17



PMOD18



PMOD19



PMOD20



PMOD6



PMOD8



PMOD9



PMOD10



PMOD11



PMOD12



PMOD21



PMOD22



PMOD23



PMOD24



PMOD13




PMOD14



PMOD15



PMOD16



PMOD25 (MIRROR)

MODA PRIMED GLAZED CLEAR



PMOD12GC

PMOD13GC

PMOD14GC

PMOD15GC

PMOD2GC

PMOD3GC

PMOD16GC

PMOD4GC

PMOD16GC

PMOD18GC

PMOD19GC

PMOD20GC

PMOD5GC

PMOD6GC

PMOD8GC

PMOD9GC

PMOD10GC

PMOD11GC

PMOD21GC


PMOD22GC

PMOD23GC

PMOD24GC

PMOD17GC

MODA PRIMED GLAZED TRANSLUCENT





Deco 10S

DECO

The Deco collection, inspired by the Art Deco movement, uses clean lines and geometry to open up a world of modern design. There are 15 Deco doors to choose from, offering you the largest range of routed doors and latest designs.

Door sizes*:
2340/2040 x 920/870/820/770/720/620/520 x 35mm.
*Availability of size range varies by design, construction type & state.



DECO 1S

DECO 2S

DECO 3S

DECO 4S



DECO 04S


DECO 6S

DECO 7S

DECO 8S

DECO 9S

DECO 10S



DECO 11S

DECO 13S

DECO 14S

DECO 15S

DECO 16S

MADISON

The Madison internal range of doors picks up on the design cues established by their namesake entrance doors, making them perfect for continuity of design throughout the home.

Door sizes:
2340/2040 x 1020/920/870/820/770/720/620/520 x 35mm.
¹Availability of size range varies by design, construction type & state.



PMADIN 04



PMADIN 104



PMADIN 101



PMADIN 4

BALMORAL

Balmoral doors feature deep carved patterns on both sides, creating restrained, simple designs that will complement most home styles.

Door sizes:
2340/2040 x 920/870/820/770/720/620/520 x 35mm.
Bi-fold sizes:¹ 2015 x 820/770/720 x 35mm.
¹Availability of size range varies by design, construction type & state.



PBAL 1



PBAL 4G



PBAL 4



PBAL BF 4



PBAL BF 4G



PBAL 2

IMPRESSIONS

Making a great impression won't cost a fortune thanks to these affordable doors. Whether you're looking for a woodgrain appearance or the subtler finish of a smooth skin design, the Impressions range has it.

Door standard size: 2040 x 820 x 35mm.
Bi-fold standard size: 2015 x 820 x 35mm.




STA WOODGRAIN SKIN
(as pictured)



STAG WOODGRAIN SKIN
(as pictured)



CMB SMOOTH SKIN
(as pictured)



ROC SMOOTH SKIN
(as pictured)



STA BF WOODGRAIN SKIN
(as pictured)




STAG BF WOODGRAIN SKIN
(as pictured)

MOTIVE

Bringing a contemporary feel to any home, this range of doors is routed on both sides with a square cut groove to emphasise distinctive shadow lines. And thanks to its honeycomb core, it's light and affordable.

Door sizes¹: 2340/2040 x 920/870/820/770/720/620/520 x 35mm.
¹Availability of size range varies by design, construction type & state.



MOTP 2



MOTP 2V



MOTP 3D



PMDF



PMDF BF

FLUSH PANEL DOORS

Suited to both contemporary and traditional styled homes, flush panel doors come pre-primed, ready to paint. They're available in honeycomb core and solid core construction. Also available in a bi-fold door design.

Door sizes¹: 2340/2040 x 1020/920/870/820/770/720/620/520/460/420 x 35/40mm.
Bi-fold sizes¹: 2015 x 820/770/720 x 35mm.

¹Availability of size range varies by design, construction type & state.



GLAZING OPTIONS

Classic PCL 4G



Blonde Oak AWOWS 5G

GLAZING OPTIONS

For privacy and aesthetic reasons, there are a number of glazing options available depending on the door design. This includes decorative and tinted glass options.



TRANSLUCENT



DESERT SAND



RICE PAPER



GREY
TRANSLUCENT



GREY TINT



CERAMICA
KOOKABURRA
JEWEL



CERAMICA
ROSE
JEWEL



DECO
ZINLIGHT



DIAMOND
JEWEL
ZINLIGHT



CLEAR
BEVELLED
ZINLIGHT
(rectangular)



BEVELLED
FLOWER
ZINLIGHT

DOOR CARE & MAINTENANCE

IMPORTANT INFORMATION

This important information will help keep your Corinthian Door looking beautiful and working for many years, while maintaining warranty coverage. Regular inspections and minor maintenance are the best ways to keep your doors in good condition. **We gladly offer a five year warranty on every door we make, failure to adhere to door care and maintenance advice will void warranty.**

PREPARING YOUR DOOR PRIOR TO FINISHING

STORAGE

Always store your door/s in a dry covered building, not in wet, exposed or freshly plastered areas where moisture can get to the door. Your doors should be stored flat, off the ground/floor.

SANDING

Generally paint/stain manufacturer's will specify that you should give timber a light sand before finishing. Always refer to the paint/stain manufacturer's advice. The surface should be prepared with appropriate sand paper, under no circumstances should you use steel wool or other metal scourers. Light sanding is recommended for veneer doors. Do not sand veneer doors back more than 0.2mm as the substrate may be exposed. Do not use sand paper with a lower grit value of 240. Always sand in the direction of the grain, avoid cross sanding, as this will only exaggerate when stained.

FINISHING YOUR DOOR

All Corinthian Doors are supplied unfinished and need to be either (a) painted or (b) stained and sealed (all of which are referred to as **Finished**). Timber is a natural product that is greatly affected by changes in moisture. This change in moisture will cause the timber to warp, crack or in some cases rot. Unprotected timber can physically deteriorate if exposed to extremes of atmospheric change over a period of time. All timber products should be Finished before being installed to help protect them from changes in moisture - regardless of whether they are being used in internal or external applications.

The entire door should be Finished immediately after fitting and before hanging; this includes behind the hinges, and lock and most importantly, the top and bottom edges should be Finished. Always follow the paint/stain manufacturer's instructions on the number of coats required. The top, bottom and sides of the door need to receive the same number of coats as the door face. Trials have shown that doors with the correct number of coats of paint, stain or sealer (as per the paint/stain manufacturer's recommendations) outlast and perform better than those not finished adequately. **Failure to seal doors within one month from the date of delivery with two coats of paint or sealer/varnish to both faces and all edges, including top and bottom, will void warranty.**

PAINT/STAIN AND SEALER SYSTEMS

Always use good quality paint, stain or sealer systems and always follow the paint/stain manufacturer's advice. Be sure to pay particular attention to "internal" vs "external" paint, stain and coating systems and use one that is appropriate to where you are hanging the door. Never use automotive or two pack paint on doors. **A sealer must be used when staining a door, as stains do not offer any protection against the elements.**

PAINT COLOURS

Doors exposed to sunlight should be painted with light reflective colours as dark colours absorb light and heat. Using dark colours will cause a drying effect on the doors and could cause the doors to warp. The use of a light coloured topcoat is essential. Your paint supplier or paint manufacturer can advise you on the light reflective value (LRV) of the colour you have selected - the higher the LRV the less heat the substrate will absorb and the longer the expected life of the paint finish. Black has a LRV of approximately 5. White has a LRV of approximately 95. Choosing paint colours with an LRV of greater than 50 is a wise choice. Your paint manufacturer should be able to advise you of the LRV for a selected colour. Using different colours on either side of the door (external/internal) will cause uneven heat/moisture absorption, particularly for doors in exposed applications. The finishing paint should be the same colour on all six sides. Using different colours may cause the door to warp.

HIGH GLOSS PAINTS

Honeycomb doors with a 3.2mm skin should be painted with flat, semi-gloss or satin finishes. Honeycomb doors with 4.75mm or thicker skins can be painted with gloss or high gloss paints. We do not recommend painting Blokdor core doors with gloss finishes.

STAIN COLOURS

Given a light reflective value (LRV) is a measure of the final colour, the LRV for stains (semi-transparent in nature) can vary hugely depending on the substrate it is applied to. If you choose to apply a darker stain to lighter timber doors, always follow the stain manufacturer's instructions. We recommend using a good quality stain when finishing your door. The finishing stain should be the same colour on all six sides. Using different stains may cause the door to warp.

MERBAU DOORS

When finishing Merbau timber doors ensure you use an oil based undercoat and finish specifically designed for Merbau. This will help reduce bleeding of tannin. If your Merbau door becomes exposed to moisture, and the door bleeds tannin, wipe the door over with a damp cloth to restore an even appearance.

INSTALLATION OF YOUR DOOR

HANGING YOUR DOOR

Hang stile and rail joinery doors with the loose beads facing externally. Always hang doors as directed by the label on the door. Solid doors should always be hung with 3 hinges, with a minimum hinge size of 89mm.

TRIMMING ALLOWANCES

Trimming allowances vary by range and design. Please check trimming allowances with the manufacturer.

DOOR FURNITURE

Always use a good quality door furniture supplier. Make sure your door furniture is appropriate for external or internal applications. Always follow the door furniture manufacturer's advice for installation and fitting.

Always understand the construction of your door before attempting to fit it with door furniture or hardware. The utility or structural strength must not be impaired in the fitting of the door, the application of hardware or cutting and altering the door for lights, louvres, panels or any other special details.

LOCK BLOCKS AND FITTING OF DOOR FURNITURE

A lock block is a piece of timber fixed inside the door. Hollowcore doors (such as Honeycomb construction) contain a lock block. As the construction is not 100% solid timber, a lock block is required to keep the handle and door furniture in place. It is extremely important that the position of the lock block is located before checking out of the hinges, before hanging the door or fixing the door furniture. To help indicate which side of the door the lock block is positioned, a lock block label is located on that side, this label is always on the spine/style. The lock block will cover door furniture back set up to 60mm. An internal door lock block is 300mm high for a 2040mm high door. An external door lock block is 500mm in height.

PROTECTING YOUR DOOR FROM THE WEATHER

Entrance doors must be installed in weather protected openings to reduce the effects of weather exposure. The warranty will not cover door damage caused by the external environment.

MAINTAINING YOUR DOOR

REGULAR INSPECTIONS

We recommend that you regularly inspect your door for any paint, stain or sealer breakdown, pay special attention to possible paint/stain breakdown around glass openings and joints. Once the paint, stain or sealer system has begun to breakdown, you should re-finish your door.

CLEANING YOUR DOOR

You should avoid getting your doors wet, even after painting or staining and sealing. Wipe your front door down with a damp cloth. Do not use harsh chemicals or detergents on your door. Never hose your front door down or get your door wet.

STAINLESS STEEL

When cleaning doors with stainless steel inlays/inserts, thoroughly wipe down the surface with a damp cloth and dry with a soft cloth. Any discolouration or corrosion should be removed as soon as possible to avoid permanent discolouration and pitting of the surface from occurring. To remove discolouration, always use a good quality stainless steel cleaner and follow the manufacturer's instructions.

GENERAL

VARIATIONS IN TIMBER

Timber veneers can have significant variation in colour, grain patterns and textures. These variations in colour, grain patterns and textures are unavoidable and are part of the natural beauty of timber; they are not considered defects.

SHOW THROUGH

Show through is when the internal construction of the door has left a slight impression on the skin of the door. When this does happen it will generally be with doors with a 3mm skin. Normally show through is only seen at certain angles or when high gloss paints are used. Show through of frame and core components is not considered a defect.

WARP/BOW

Warp/bow is the cupping or twisting of timber. When it comes to doors, it refers to the distortion within the door itself and not its relationship to jambs or the frame in which it is hung.

Inline with the Australian Standard, it is not considered a defect for a door measuring 2150mm high to have a warp/bow up to 4mm. In addition, it is not considered a defect for doors measuring between 2150mm and 2400mm high to have a warp/bow up to 6mm. Doors which exceed 2438mm high or 1219mm wide are not covered by the Australian Standard or the Warranty and are not guaranteed against warp/bow or twist. You can determine cupping by applying a straight-edge to the concave face of the door, or twist by placing the door face against a true plane surface. Warp/bow can be caused by a number of factors, generally warp/bow is caused by improper storage or adverse moisture conditions. Using dark or multiple colours (paint or stain) can also cause the door to warp.

Corinthian does not accept responsibility of warp/bow when the moisture content of the timber falls below 10% or exceeds 15%. These guidelines are provided inline with the Australian Standard.

Prompt advice should be sought if excessive warping/bowing occurs to assist in overcoming difficulty.

It is the responsibility of the installer and homeowner to ensure that the advice in this document has been adhered to. Failure to follow these instructions will void the warranty.

For full warranty and terms & conditions of sale, visit corinthian.com.au



CORINTHIAN DOORS

A JELD-WEN Company

www.corinthian.com.au

VIC **CAMPBELLFIELD**
11 Somerton Road
Campbellfield 3061
(03) 9308 6977

DANDENONG
6 Healey Road
Dandenong 3175
(03) 9794 1122

NSW **ST MARYS**
17-35 Lee Holm Road
St Marys 2760
(02) 9673 7100

QLD **ACACIA RIDGE**
16 Colebard Street East
Acacia Ridge 4110
(07) 3715 0100

SA **REGENCY PARK**
38 Birraleee Road
Regency Park 5010
(08) 8243 0888

WA **CANNING VALE**
32 Coulson Way
Canning Vale 6155
(08) 9455 1333